

Technical data

IMPRESSA F50



JURA standards for all automatic coffee machines

Variable brewing unit, from 5 g to 16 g	■
Intelligent Pre-Brew Aroma System (I.P.B.A.S.©)	■
Additional preground coffee powder	■
Hot water function	■
Cappuccino frother	■
Height-adjustable coffee spout	■
Multi-level conical grinder	■
CLARIS filter cartridge	■
High-performance pump, 15 bar	■
Thermoblock heating system	■
Integrated rinsing, cleaning and descaling programme	■
Adjustable water hardness	■
Zero-Energy Switch or power switch	■
Swiss made	■

Specific advantages

Energy Save Mode (E.S.M.©)	■
Latte macchiato at the touch of a button	
Cappuccino at the touch of a button	
Easy Select©	
Coffee à la carte	
Powder recognition for additional ground coffee variety	■

JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it is possible that some of the technical data in this sheet does not correspond to the actual product.

Technical data

IMPRESSA F50



Intelligent preheating ■

Sensitive-Touchscreen Technology©

Integrated storage compartment

TÜV certificate for manual

Settings and programming options

Programmable amount of water ■

Amount of water can be adjusted for each preparation ■

Programmable coffee strength levels 4

Coffee strength can be adjusted for each preparation ■

Programmable aroma levels

Programmable brewing temperature levels 2

Hot water temperature can be programmed to 3 levels

Clear text / graphic display

Clear text display ■

Symbol display

Rotary Switch ■

Programmable switch-on time

Programmable switch-off time ■

Switch-on and switch-off times for each day

Active bean monitoring

Monitored drip tray ■

Monitored aroma preservation cover

JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it is possible that the content of the technical data in this sheet does not correspond to the actual product.

Technical data

IMPRESSA F50



Integrated cappuccino rinsing and cleaning programme

Maintenance status display ■

Design and materials

Alu Frame Design© 3 mm aluminium front panel

Aluminium front panel

Height-adjustable coffee spout 70 - 111 mm

Width-adjustable coffee spout

Height-adjustable cappuccino spout

Cup illumination ■

Connector System© ■

Sound design

Accessories

Stainless steel vacuum milk container

Cup warmer Z

Cup warmer optional

Cool Control optional

Professional Cappuccino Frother •

In figures

Water tank capacity 1,9 l

Coffee grounds container (servings) ~ 16~ 16

Bean container with aroma preservation cover 200 g

JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it is possible that the content of the technical data in this sheet does not correspond to the actual product.

Technical data

IMPRESSA F50



Cable length	~ 1.1 m
Voltage	220-240 V AC
Power	1450 W
Energy consumption	18 Wh
Energy consumption with E.S.M.© 1	
Energy consumption with E.S.M.© 2	
Energy consumption with E.S.M.©	5 Wh
Stand-by power	0 W
Weight	9,1 kg
Dimensions (W x H x T)	28 x 34.5 x 43.5 cm
Checks	CE (S)
Article number / colour	CH: 13493 Platin EU: 13494 Platin

JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it is possible that some of the technical data in this sheet does not correspond to the actual product.