


Product Comparison



JURA Standards

| Variable brewing chamber | 5 - 16 g | 5 - 16 g |
|---|----------|----------|
| Intelligent Pre-Brew Aroma System (I.P.B.A.S. [©]) | Yes | Yes |
| Intelligent preheating | Yes | Yes |
| Active bean monitoring | No | Yes |
| Energy Save Mode (E.S.M. [©]) | No | Yes |
| High-performance pump, 15 bar | 1 | 1 |
| Thermoblock heating system | 1 | 2 |
| Fluid system | 1 | 1 |
| Monitored drip tray | Yes | Yes |
| Maintenance status display | Yes | Yes |
| Integrated rinsing, cleaning and descaling program | Yes | Yes |
| Adjustable water hardness | Yes | Yes |
| | | |

| One or two cups of espresso in one brewing operation | Yes | Yes |
|--|------------------------------------|------------------|
| JURA hygiene: TÜV-certified | Yes | Yes |
| Filter cartridge | CLARIS Pro Smart / CLARIS Smart | CLARIS Pro Smart |
| Zero-Energy Switch or power switch | Classic | Classic |
| Swiss made | No | Yes |

Specialities

| Number of products | 12 | 21 |
|------------------------------------|---|--|
| Products | 1 ristretto 2 ristretti 1 espresso 2 espressi 1 coffee 2 coffees 1 cappuccino 1 latte macchiato 1 Flat White 1 portion of milk Hot water ground coffee | 1 ristretto 2 ristretti 1 espresso 2 espressi 1 coffee 2 coffees 1 cappuccino 2 cappuccini 1 caffè latte 2 caffè latte 2 latte macchiato 2 latte macchiati 1 Flat White 2 Flat Whites 1 portion of milk 2 portions of milk Pot of coffee Hot water hot water for green tea 1 special coffees 2 special coffees |
| Pot of espresso-quality coffee | - | Yes |
| Hot water function | 3 levels | Yes |
| Additional preground coffee powder | Yes | - |

| Pot of coffee (360 ml / 12 oz.) | - | 2 min. 20 sec. |
|---------------------------------|----------------|----------------|
| 1 latte macchiato | 1 min. 26 sec. | - |
| 2 latte macchiati | - | 1 min. 50 sec. |
| 1 cappuccino | 56 sec. | - |
| 2 cappuccini | - | 1 min. 18 sec. |
| 2 caffè latte (cafés au lait) | - | 1 min. 34 sec. |
| 2 coffees | 1 min. | 1 min. 3 sec. |
| 2 espressi | 45 sec. | 48 sec. |
| 2 ristretti | 30 sec. | 33 sec. |
| Hot water (200 ml / 7 oz.) | 45 sec. | 50 sec. |

Advantages

| App Compatibility | JURA Connect App JURA Coffee App Professional | JURA Connect AppJURA Coffee App Professional |
|---|--|---|
| JURA fine foam technology | - | Yes |
| Milk or milk foam preparation | - | Yes |
| Smart Connect compatible | Yes | Yes |
| Grinder type | Aroma ^{G3} grinder | Aroma ^{G3} grinder |
| Number of grinders | 1 | 1 |
| Pulse Extraction Process (P.E.P. [®]) | Yes | Yes |
| Powder chute for ground coffee | Yes | - |
| Powder recognition for additional ground coffee variety | Yes | - |

Settings and programming options

| Programmable amount of water | Yes | Yes |
|--|-----|-----|
| Amount of water can be adjusted for each preparation | Yes | Yes |
| Programmable coffee strength in levels | 8 | 10 |
| Coffee strength can be adjusted for each preparation | Yes | Yes |
| Programmable brewing temperature | 2 | 2 |
| Programmable amount of milk | - | Yes |
| Amount of milk foam programmable | Yes | - |
| Hot water temperature can be programmed in levels | 3 | 3 |
| Programmable amount of hot water | Yes | Yes |
| Resettable day counter | Yes | - |
| Programmable switch-off time | Yes | Yes |
| Shows the number of preparations for each individual product | Yes | Yes |
| Water filter display | Yes | - |
| Integrated milk system rinsing and cleaning programme | Yes | Yes |
| Automatic milk rinse | Yes | Yes |
| Remaining time display | Yes | Yes |
| | | |

| Display | TFT color display | TFT color display |
|---|-------------------|-------------------|
| Height-adjustable coffee spout | 65 - 111 mm | - |
| Height-adjustable cappuccino spout | 107 - 153 mm | - |
| Height-adjustable dual spout (Milk/Coffee) | - | 65 - 153 mm |
| Hot-water spout | Yes | Yes |
| Height-adjustable hot water spout | 107 - 153 mm | - |
| Cappuccino frother | Fine foam frother | - |
| Connector System [©] | Yes | - |
| Cup illumination | Amber | White and amber |
| Sound design | Yes | Yes |

Areas of use and recommended maximum daily output

| Recommended maximum daily output | 30 | 80 |
|----------------------------------|---|---|
| Areas of use | Own usageService providerReseller | Catering Large offices Canteens Self-service areas Service provider Reseller |

In figures

| Water tank capacity | 3 L | 5 L |
|--|-----|-----|
| Coffee grounds container (servings) | 25 | 40 |
| Numbers of bean containers | 1 | 1 |

| Capacity of bean container with aroma preservation cover | 500 g | 500 g |
|--|------------|---------------|
| Bean container can be optionally extended to | - | 1000 g |
| Cable length | 1.1 m | 1.2 m |
| Voltage | 230 V ~ | 220 - 240 V ~ |
| Current | 10 amp | 10 amp |
| Frequency | 50 hz | 50 hz |
| Power | 1450 Watt | 1450 Watt |
| Accounting systems | compatible | compatible |
| Stand-by power | 0 Watt | < 0.5 Watt |
| Weight | 10 kg | 14 kg |
| Width | 29.5 cm | 37.3 cm |
| Height | 41.9 cm | 47 cm |
| Depth | 44.4 cm | 46.1 cm |
| Article Number | 15144 | 15191 |
| | | |